

Molecular design of tough hydrogels with sacrificial bonds mechanism

Invention of the tough double network hydrogels (DN gels), consisting of interpenetrated rigid/brittle network and soft/stretchable network, shows that the effective energy dissipation by the breaking of the covalent bond of the brittle network prevents catastrophic crack propagation upon deformation, and thus, gives the extraordinarily high toughness of the material[1]. Such sacrificial bond effect has been successfully applied to develop tough double network hydrogels of diverse chemistry and also to double and triple network elastomer materials. Thus, sacrificial bond concept is proved to be a general approach for developing tough soft materials.

As the internal rupture of DN gels is due to the irreversible breaking of the covalent bonds of the brittle network, the conventional DN gels deteriorate gradually after repeated deformation. To address this problem, many recent works have replaced the covalent bonds with non-covalent bonds to allow the sacrificial bonds to be reformed.

In this talk, novel hydrogels with reversible sacrificial bonds developed in author's group are reviewed and their excellent mechanical behaviors such as high toughness, self-healing [2,3], adhesion to biological tissues[4], and fast underwater adhesion are demonstrated[5]. Furthermore, this principle is extended to develop tough composites using tough hydrogels as energy dissipative soft matrix[6]. Recent development of self-growing hydrogels will also be introduced [7].

References:

1. Jian Ping Gong, "Why are double network hydrogels so tough?" *Soft Matter*, 6(12), 2583(2010).
2. Tao Lin Sun, Takayuki Kurokawa, Shinya Kuroda, Abu Bin Ihsan, Taigo Akasaki, Koshiro Sato, Md. Anamul Haque, Tasuku Nakajima, Jian Ping Gong, "Physical Hydrogels Composed of Polyampholytes Demonstrate High Toughness and Viscoelasticity," *Nature Materials*, 12(10), 932(2013).
3. Kunpeng Cui, Tao Lin Sun, Xiaobin Liang, Ken Nakajima, Ya Nan Ye, Liang Chen, Takayuki Kurokawa, Jian Ping Gong, "Multiscale Energy Dissipation Mechanism in Tough and Self-Healing Hydrogels," *Physical Review Letters*, 121(18), 185501 (2018).
4. Chanchal Kumar Roy, Honglei Guo, Tao Lin Sun, Abu Bin Ihsan, Takayuki Kurokawa, Masakazu Takahata, Takayuki Nonoyama, Tasuku Nakajima, Jian Ping Gong, "Self-Adjustable Adhesion of Polyampholyte Hydrogels," *Advanced Materials*, 27(45), 7344(2015).
5. Ping Rao, Tao Lin Sun, Liang Chen, Takayuki Kurokawa, Daniel R. King, Riku Takahashi, Gento Shinohara, Hui Guo, Jian Ping Gong, "Tough Hydrogels with Fast, Strong, and Reversible Underwater Adhesion Based on a Multi-Scale Design," *Advanced Materials*, 30(32), 1801884 (2018).
6. Daniel R. King, Tao Lin Sun, Takayuki Kurokawa, Takayuki Nonoyama, Alfred J. Crosby, Jian Ping Gong, "Extremely Tough Composites from Fabric Reinforced Polyampholyte Hydrogels," *Materials Horizons*, 2(6), 584(2015).
7. Takahiro Matsuda, Runa Kawakami, Ryo Namba, Tasuku Nakajima, Jian Ping Gong, "Mechanoresponsive Self-growing Hydrogels Inspired by Muscle Training",